Certificate Certificat of Accreditation



SCC

Canadian Building Envelope Science and Technology **CAN-BEST TESTING LABORATORY**

38 Regan Road, Unit 4, Brampton, ON, L7A 1C6

having been assessed by the Standards Council of Canada (SCC) and found to conform with the requirements of ISO/IEC 17025:2017 and the conditions for accreditation established by SCC is hereby recognized as an

ACCREDITED TESTING LABORATORY

for the specific tests or types of tests listed in the scope of accreditation approved by SCC and found on the SCC website at www.scc.ca.

ayant fait l'objet d'une évaluation du Conseil canadien des normes (CCN), et ayant été trouvé conforme aux exigences énoncées dans ISO/IEC 17025:2017 et aux conditions d'accréditation établies par le CCN, est de ce fait reconnu comme étant un

LABORATOIRE D'ESSAIS ACCRÉDITÉ

pour les essais ou types d'essais énumérés dans la portée d'accréditation approuvée par le CCN et figurant dans le site Web du CCN au www.ccn.ca.

SCC file number: / Dossier du CCN nº : 15226 Initial accreditation date: / Date de la première accréditation :1995-11-27

Vice-President – Accreditation Services / Vice-président – Services d'accréditation Issued on: / Délivré le :2021-06-03

The validity of this certificate, including the date of last re-accreditation and its expiry can be confirmed by the accompanying Scope of Accreditation document in the Directory of Accredited Laboratories on the SCC website at www.scc.ca.

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. The accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF communiqué dated April 2017).

Pour vérifier la validité du présent certificat, y compris la date de la dernière réaccréditation et la date d'expiration du certificat, consulter la portée d'accréditation qui se trouve dans le répertoire des laboratoires accrédités dans le site Web du CCN au www.ccn.ca.

Ce laboratoire est accrédité conformément à la Norme internationale reconnue ISO/IEC 17025:2017. Cette accréditation démontre la compétence technique d'un organisme pour une portée définie et l'exploitation d'un système de management de la qualité de laboratoire (cf. communiqué conjoint ISO-ILAC-IAF date d'avril 2017).



Standards Council of Canada Open a world of possibilities. Conseil canadien des normes Un monde de possibilités à votre portée.



This certificate is the property of the Standards Council of Canada (SCC) and must be returned on request; reproduction is prohibited except on written approval of SCC. Ce certificat est la propriété du Conseil canadien des normes (CCN) et doit lui être remis sur demande; toute reproduction est interdite sans l'autorisation écrite du CCN.



TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

Scope of Accreditation

Accredited Laboratory No. 222

| Legal Name of Accredited Laboratory: | Canadian Building Envelope Science and Technology |
|--|--|
| Location Name or Operating as (if applicable): | CAN-BEST TESTING LABORATORY |
| Contact Name: | Tariq In'airat |
| Address: | 38 Regan Road, Unit 4, Brampton, ON, L7A 1C6 |
| Telephone: | +1 905 840-2014 |
| Fax: | +1 905 840-2847 |
| Website: | www.can-best.com |
| Email: | tariq@can-best.com |

| SCC File Number: | 15226 |
|----------------------------|--|
| Accreditation Standard(s): | ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories |
| Fields of Testing: | Mechanical/Physical |
| Initial Accreditation: | 1995-11-27 |
| Most Recent Accreditation: | 2021-06-03 |
| Accreditation Valid to: | 2023-11-27 |

CONSTRUCTION

Building Constructions and Prefabricated Buildings

| ASTM C1201/C1201M | Structural Performance of Exterior Dimension Stone Cladding |
|-------------------|---|
| | Systems by Uniform Static Air Pressure Difference |
| ASTM C1279 | Standard Test Method for Non-Destructive Photoelastic |
| | Measurement of Edge and Surface Stresses in Annealed, |
| | Heat-Strengthened, and Fully Tempered Flat Glass |





| ASTM C1363 | Standard Test Method for Thermal Performance of Building |
|-------------|--|
| | Materials and Envelope Assemblies by means of a Hot Box |
| | Apparatus. |
| ASTM E1155* | Standard Test Method for Determining FF Floor Flatness and |
| | FL Floor Levelness Numbers |
| ASTM E1592 | Standard Test Method for Structural Performance of Sheet |
| | Metal Roof and Siding Systems by Uniform Static Air Pressure |
| | Difference |
| ASTM E1646 | Standard Test Method for Water Penetration of Exterior Metal |
| | Roof Panel Systems by Uniform Static Air Pressure Difference |
| ASTM E196* | Standard Practice for Gravity Load Testing of Floors and Low |
| | Slope Roofs |
| ASTM E2178 | Standard Test Method for Air Permeance of Building Materials |
| ASTM E2273 | Standard Test Method for Determining the Drainage Efficiency |
| | of Exterior Insulation and Finish Systems (EIFS) Clad Wall |
| | Assemblies |
| ASTM E2357 | Standard Test Method for Determining Air Leakage of Air |
| | Barrier Assemblies |
| ASTM E455 | Standard Method for Static Load Testing of Framed Floor or |
| | Roof Diaphragm Constructions for Buildings |
| ASTM E529 | Standard Guide for Conducting Flexural Tests on Beams and |
| | Girders for Building Construction |
| ASTM E564 | Standard Practice for Static Load Test for Shear Resistance of |
| | Framed Walls for Buildings |
| ASTM E72 | Standard Test Methods of Conducting Strength Tests of Panels |
| | for Building Construction |
| ASTM E73 | Standard Practice for Static Load Testing of Truss Assemblies |
| ASTM E779* | Standard Test Method for Determining Air Leakage Rate by |
| | Fan Pressurization |
| ASTM E894 | Standard Test Method for Anchorage of Permanent Metal |
| | Railing Systems and Rails for Buildings |
| ASTM E907 | Standard Test Methods for Field Testing Uplift Resistance of |
| | Adhered Membrane Roofing Systems |
| ASTM E935 | Standard Test Method for Performance of Permanent Metal |
| | Railing Systems and Rails for Buildings |
| CSA A500 | Building Guards |
| | Only for: Section 5.0 |





| ULC S-716.1 | Standard for Exterior Insulation Finish System(EIFS)–Materials |
|-------------|---|
| | & Systems |
| | Except for: 5.3.2. Infrared Analysis, 5.4.2. Infrared Analysis, |
| | 5.5.4 Fire Resistance Testing. |

Construction Materials : (Excluding textile products)

(Excluding Textile Products)

| ASTM D4798 | Standard Test Method for Accelerated Weathering Test |
|------------|---|
| | Conditions and Procedures for Bituminous Materials (Xenon- |
| | Arc Method) |
| ASTM D897 | Standard Test Method for Tensile Properties of Adhesive |
| | Bonds |
| ASTM E96 | Standard Test Methods for Water Vapour Transmission of |
| | Materials |
| ASTM D5034 | Standard Test Method for Breaking Strength and Elongation of |
| | Textile Fabrics (Grab Test) |
| ASTM E2098 | Standard Test Method for Determining Tensile Breaking |
| | Strength of Glass Fiber Reinforcing Mesh for use in Class PB |
| | Exterior Insulation and Finish Systems (EIFS), after Exposure |
| | to a Sodium Hydroxide Solution. |
| ASTM E661 | Standard Test Method for Performance of Wood and Wood- |
| | Based Floor and Roof Sheathing Under Concentrated Static |
| | and Impact Loads |
| ASTM G154 | Standard Practice for Operating Fluorescent Light Apparatus |
| | UV Exposure of Non-metallic Materials. |
| ASTM G155 | Standard Practice for Operating Xenon Arc Light Apparatus for |
| | Exposure of Non-Metallic Materials |
| CSA 0325 | Construction sheathing, Only for: Clause 7.1 (Concentrated |
| | Static and Impact Load Tests), Clause 7.2 (Uniform Load Test) |
| ASTM C373 | Determination of Water Absorption and Associated Properties |
| | by Vacuum Method for Pressed Ceramic and Glass Tiles |
| ASTM C1026 | Measuring the Resistance of Ceramic and Glass Tiles to |
| | Freeze-Thaw Cycling |
| ASTM C1505 | Determination of Breaking Strength and Modulus of Rupture of |
| | Ceramic Tiles and Glass Tiles by Three-Point Loading |
| | |





(Windows, Doors and Curtain Walls)

| AAMA/WDMA/CSA | NAFS - North American Fenestration Standard/Specification for |
|-------------------|--|
| 101/I.S.2/A440 | windows, doors, and skylights |
| | Except for: Section 10 |
| AAMA/WDMA/CSA | NAFS - North American Fenestration Standard/Specification for |
| 101/I.S.2/A440-11 | windows, doors, and skylights |
| | Except for: Section 10 and 11 |
| AAMA/WDMA/CSA | NAFS - North American Fenestration Standard/Specification for |
| 101/I.S.2/A440-17 | windows, doors, and skylights |
| | Except for: Section 10 and 11 |
| CSA | Canadian Supplement to AAMA/WDMA/ CSA 101/I.S.2/A440- |
| A440S1-17 | 11, NAFS — North American Fenestration Standard/ |
| | Specification for windows, doors, and skylights |
| AAMA/WDMA/CSA | NAFS - North American Fenestration Standard/Specification for |
| 101/I.S.2/A440-08 | windows, doors, and skylights |
| | Except for: sections 6.2.5.2 to 6.2.5.7; 6.3; 7.2; 7.3; 7.5 to 7.7; |
| | and 7.11 |
| A440S1-09 | Canadian Supplement to AAMA/WDMA/CSA 101/I.S.2/A440, |
| | NAFS — North American Fenestration Standard/Specification |
| | for windows, doors, and skylights |
| AMCA 500-L | Laboratory Methods of Testing Louvers for Rating |
| | Only for: section 8.2 |
| ANSI Z97.1 | Safety Glazing Materials used in Buildings- Safety Performance |
| | Specifications and Methods of Test |
| ASTM C1048 | Standard Specification for Heat – Strengthened and Fully |
| | Tempered Flat Glass |
| ASTM C1199 | Standard Test Method for Measuring the Steady-State |
| (with ASTM E1423) | Thermal Transmittance of Fenestration Systems Using Hot Box |
| | Methods / Standard Practice for Determining Steady State |
| | Thermal Transmittance of Fenestration Systems |
| ASTM E1105* | Standard Test Method for Field Determination of Water |
| | Penetration of Installed Exterior Windows, Curtain Walls and |
| | Doors by Uniform Static Air Pressure Difference |
| ASTM E 1233 | Standard Test Method for Structural Deformance of Exterior |
| | |
| | Windows, Doors, Skylights and Curtain Walls by Cyclic Air |
| | Windows, Doors, Skylights and Curtain Walls by Cyclic Air Pressure Differential |
| ASTM E1423 | Standard Test Method for Structural Performance of Extended Windows, Doors, Skylights and Curtain Walls by Cyclic Air Pressure Differential Standard Practice for Determining Steady State Thermal |





| | for Measuring the Steady State Thermal Transmittance of |
|------------|---|
| | Fenestration Using Hot Box Methods |
| ASTM E1424 | Standard Test Method for Determining the Rate of Air Leakage |
| | Through Exterior Windows, Curtain Walls, and Doors Under |
| | Specified Pressure and Temperature Differences Across the |
| | Specimen |
| ASTM E283 | Standard Test Method for Determining the Rate of Air Leakage |
| | Through Exterior Windows, Curtain Walls and Doors Under |
| | Specified Pressure Differences Across the Specimen |
| ASTM E330 | Standard Test Method for Structural Performance of Exterior |
| | Windows, Doors, Skylights and Curtain Walls and Doors by |
| | Uniform Static Air Pressure Difference |
| ASTM E331 | Standard Test Method for Water Penetration of Exterior |
| | Windows, Skylights, Doors and Curtain Walls and Doors by |
| | Uniform Static Air Pressure Difference |
| ASTM E547 | Standard Test Method for Water Penetration Resistance of |
| | Exterior Window, Skylights, Doors and Curtain Walls by Cyclic |
| | Static Air Pressure Differential |
| ASTM E576 | Standard Test Method for Frost/Dew Point of Sealed Insulating |
| | Glass Units in the Vertical Position |
| ASTM E783* | Standard Test Method for Field Measurement of Air Leakage |
| | Through Installed Exterior Windows and Doors |
| ASTM E987 | Standard Test Methods for Deglazing Force of Fenestration |
| | Products |
| ASTM E998 | Standard Test Method for Structural Performance of Glass in |
| | Windows, Curtain Walls and Doors Under the Influence of |
| | Uniform Static Loads by Nondestructive Methods |
| ASTM E2188 | Standard Test Method for Insulating Glass Unit Performance |
| ASTM E2189 | Standard Test Method for Testing Resistance to Fogging in |
| | Insulating Glass Units |
| ASTM E2190 | Standard Specification for Insulating Glass Unit Performance |
| | and Evaluation |
| ASTM E2353 | Standard Test Methods for Performance of Glazing in |
| | Permanent Railing Systems; Guards & Balustrades |
| ASTM E2649 | Standard Test Method for Determining Argon Concentration in |
| | Sealed Insulating Glass Units Using Spark Emission |
| | Spectroscopy |
| ASTM F1233 | Standard Test Method for Security Glazing Materials and |
| | Systems, Non Ballistic Testing Only |





| ASTM F476 | Standard Test Method for Security of Swinging Door |
|--------------------|--|
| | Assemblies |
| ASTM F588 | Standard Test Method for Measuring the Forced Entry |
| | Resistance of Window Assemblies, Excluding Glazing Impact |
| ASTM F842 | Standard Test Method for Measuring the Forced Entry |
| | Resistance of Sliding Door Assemblies, Excluding Glazing |
| | Impact |
| ASTM F2090 | Standard Specification for Window Fall Prevention Devices |
| | With Emergency Escape (Egress) Release Mechanisms |
| ASTME997 | Standard Test Method for Evaluating Glass Breakage |
| | Probability Under the Influence of Uniform Static Loads by |
| | Proof Load Testing |
| CAN/CGSB 82-GP-3M | Door, Aluminum, Combination Storm and Screen |
| CAN/CGSB 82-GP-4M | Door, Steel, Combination Storm and Screen |
| CAN/CGSB CAN2-12.1 | Tempered or Laminated Safety Glass |
| CAN/CGSB CAN2-12.2 | Flat, Clear Sheet Glass |
| CAN/CGSB CAN2-12.8 | Insulating Glass Units |
| | Including Paragraph 3.6.3 "Argon Gas Concentration - GC |
| | Method" |
| CAN/CGSB CAN2-12.9 | Spandrel Glass |
| CAN/CGSB-63.14 | Plastic Skylights |
| CAN/CGSB-82.1 | Sliding Doors |
| CAN/CGSB-82.5 | Insulated Steel Doors |
| CAN/CSA A440 | Window, door, and skylight installation |
| CAN/CSA A440.2-14 | Fenestration Energy Performance |
| ASTM E2268 | Standard Test Method for Water Penetration of Exterior |
| | Windows, Skylights, and Doors by Rapid Pulsed Air Pressure |
| | Difference |

Number of Scope Listings: 78

Notes:

Methods noted with (*) are on-site testing

ISO/IEC 17025: General Requirements for the Competence of Testing and Calibration Laboratories AAMA: American Architectural Manufacturers Association ASTM: American Society for Testing and Materials CSA: Canadian Standards Association ULC: Underwriters Laboratories Canada WDMA: Window & Door Manufacturers Association





This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at <u>www.scc.ca</u>.

Elias Rafoul Vice-President, Accreditation Services Publication on: 2021-06-04

